

# Attention

## The Saliency-Map Model


### *Suggested reading:*

- Itti, L., Koch, C., Niebur, E. (1998) A model of saliency-based visual attention for rapid scene analysis. IEEE Transactions on Pattern Analysis and Machine Intelligence, 20:1254-1259.
- Itti, L., Koch, C. (2000) A saliency-based search mechanism for overt and covert shifts of visual attention. Vision Res., 40:1489-1506.

The Saliency Map Model 1

### *Attention: The Saliency Map Model*


#### *Contents:*




- Saliency map Model
- Visual preprocessing
- Center surround differences
- Normalization
- Conspicuity maps
- Saliency map
- Example
- Visual Search

# The Saliency-Map Model

- Localizes **saliient** points in the visual field.
- Saliency is based on (bottom-up) scene-based properties
- Reduces computation by a selection on basis of preattentively computed simple features.
- Addresses some problems with the integration of different feature dimensions into a space-related map.





Multi-resolution pyramid


Computation of different channels  
 Feature filter for colors  
 intensity  
 orientations

Combination of the feature maps  
 into a conspicuity map for each  
 channel

Combination of the conspicuity  
 maps into a saliency map


Serial selection of salient  
 locations

# Saliency-Model



**A Model of Saliency-Based Visual Attention for Rapid Scene Analysis**  
 L. Itti, C. Koch, and E. Niebur  
 IEEE Transactions on Pattern Analysis and Machine Intelligence, 20 (1998).

## Visual Preprocessing




Starting from  $r$ ,  $g$ , and  $b$ , the color values (red, green and blue) of the input image, an intensity image  $I=(r+g+b)/3$  is obtained.

For each pixel in the pyramid, generate color channels  $R=r-(g+b)/2$  for red,  $G=g-(r+b)/2$  for green,  $B=b-(r+g)/2$  for blue, and  $Y=(r+g)/2-|r-g|/2-b$  for yellow (negative values are set to zero).

Determine color opponency  $RG=R-G$  and  $BY=B-Y$ .

The detection of local orientation at each point in the image is achieved using overcomplete steerable filters  $O$

## Center-surround differences



Compute center-surround differences to determine contrast, by taking the difference between a fine (center) and a coarse scale (surround) for a given feature. This operation across spatial scales is done by interpolation to the fine scale and then point-by-point subtraction.

$$I(c, s) = |I(c) \ominus I(s)|$$

$$RG(c, s) = |(R(c) - G(c)) \ominus (G(s) - R(s))|$$

$$BY(c, s) = |(B(c) - Y(c)) \ominus (Y(s) - B(s))|$$


$$c \in \{2, 3, 4\}$$

$$O(c, s, \theta) = |O(c, \theta) \ominus O(s, \theta)|$$

$$s = c + \delta, \delta \in \{3, 4\}$$


# Normalization

$\mathcal{N}(\cdot)$



- 1) normalizing the values in the map to a fixed range  $[0..M]$ , in order to eliminate modality-dependent amplitude differences;
- 2) finding the location of the map's global maximum  $M$  and computing the average  $\bar{m}$  of all its other local maxima; and
- 3) globally multiplying the map by  $(M - \bar{m})^2$ .

# Conspicuity maps




$$\bar{I} = \bigoplus_{c=2}^4 \bigoplus_{s=c+3}^{c+4} \mathcal{N}(I(c, s))$$

$$\bar{C} = \bigoplus_{c=2}^4 \bigoplus_{s=c+3}^{c+4} [\mathcal{N}(\mathcal{R}\mathcal{G}(c, s)) + \mathcal{N}(\mathcal{B}\mathcal{Y}(c, s))]$$

$$\bar{O} = \sum_{\theta \in \{0^\circ, 45^\circ, 90^\circ, 135^\circ\}} \mathcal{N}\left(\bigoplus_{c=2}^4 \bigoplus_{s=c+3}^{c+4} \mathcal{N}(O(c, s, \theta))\right)$$

The feature maps are combined into three conspicuity maps at the scale 4. This is obtained through across-scale addition by reducing each map to the lowest resolution (scale 4) and point-by-point addition.

# Saliency Map




$$S = \frac{1}{3} (\mathcal{N}(\bar{I}) + \mathcal{N}(\bar{C}) + \mathcal{N}(\bar{O}))$$


The three conspicuity maps are normalized and summed into the final input  $S$  to the saliency map.



# Example



# Visual Search



The model suggests a serial search mechanism. Noise in the scene avoids local pop-out.

## Discussion

- The saliency model provides a useful algorithm for guiding vision to potentially meaningful parts of a scene.
- It selects only a point in space, as compared to an object or region. Region selection has to be added by a separate mechanism.
- Saliency is restricted to simple features.
- Attention is defined solely as the selection in space (no, or only indirect feature-based selection).
- The advantage of this mechanism for object recognition is limited, since a selection in space does not necessarily promote object-recognition.

### *Additional reading:*

- Peters, R. J., Iyer, A., Itti, L., Koch, C. (2005) Components of bottom-up gaze allocation in natural images, *Vision Research*, 45: 2397-2416.
- Einhäuser W., Spain, M. Perona, P. (2008) Objects predict fixations better than early saliency. *Journal of Vision*, 8(14):18,1-26.