

Published Online: 30 Jun 2003

Copyright © 2003 WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim

Abstract | [References](#) | Full Text: [PDF](#) (186k) | [Related Articles](#) | [Citation Tracking](#)

Effects of Annealing on the Properties of Molecular Thin Film Heterostructures[†]

S. Heutz^{*}, G. Salvan², T.S. Jones¹, D.R.T. Zahn²

¹Centre for Electronic Materials and Devices, Department of Chemistry, Imperial College London, London SW7 2AZ, UK

²Halbleiterphysik, Technische Universität Chemnitz, Reichenhainerstraße 70/644, D-09107 Chemnitz, Germany

email: S. Heutz (sheutz@ic.ac.uk)

*Correspondence to S. Heutz, ¹Centre for Electronic Materials and Devices, Department of Chemistry, Imperial College London, London SW7 2AZ, UK

[†]The authors gratefully acknowledge the Marie Curie Training Site “Carbon Containing Thin Films” for funding of the collaboration with T. U. Chemnitz, and wish to thank Axel Fechner for technical assistance. S. H. thanks the department of Chemistry, Imperial College, for provision of a teaching assistantship, and G. S. acknowledges the EU funded Human Potential Research Training Network DIODE (Contract No.: HPRN-CT-1999-00164) for financial support.

Keywords

Dyes • Luminescence, up-conversion • Potassium hydride phthalate • Second harmonic generation • Single-crystalline materials • Two-photon absorption

Abstract

No abstract.

Received: 12 December 2002; Accepted: 18 March 2003

Digital Object Identifier (DOI)

10.1002/adma.200304742 [About DOI](#)